

Sequential encoding aids working memory for meaningful objects' identities but not for their colors

Yong Hoon Chung¹ · Timothy F. Brady² · Viola S. Störmer¹

Accepted: 19 October 2023 © The Psychonomic Society, Inc. 2023

Abstract

Previous studies have found that real-world objects' identities are better remembered than simple features like colored circles, and this efect is particularly pronounced when these stimuli are encoded one by one in a serial, item-based way. Recent work has also demonstrated that memory for simple features like color is improved if these colors are part of real-world objects, suggesting that meaningful objects can serve as a robust memory scafold for their associated low-level features. However, it is unclear whether the improved color memory that arises from the colors appearing on real-world objects is afected by encoding format, in particular whether items are encoded sequentially or simultaneously. We test this using randomly colored silhouettes of recognizable versus unrecognizable scrambled objects that ofer a uniquely controlled set of stimuli to test color working memory of meaningful versus non-meaningful objects. Participants were presented with four stimuli (silhouettes of objects or scrambled shapes) simultaneously or sequentially. After a short delay, they reported either which colors or which shapes they saw in a two-alternative forced-choice task. We replicated previous fndings that meaningful stimuli boost working memory performance for colors (Exp. [1](#page-3-0)). We found that when participants remembered the colors (Exp. [2\)](#page-4-0) there was no diference in performance across the two encoding formats. However, when participants remembered the shapes and thus identity of the objects (Exp. [3\)](#page-6-0), sequential presentation resulted in better performance than simultaneous presentation. Overall, these results show that diferent encoding formats can fexibly impact visual working memory depending on what the memory-relevant feature is.

Keywords Working memory · Memory · Object recognition · Perception · Semantic memory · Visual working memory · Color memory · Encoding

Introduction

Visual working memory is a capacity-limited cognitive process that allows the active maintenance and manipulation of visual information. Because an individual's working memory capacity – how much information they can actively maintain at a time – relates to other important cognitive abilities such as fuid intelligence (e.g., Fukuda et al., [2010](#page-11-0); Unsworth et al., [2014](#page-12-0)), many researchers have put great effort into accurately assessing individuals' visual working memory capacity. In doing so, many studies have used abstract, simple stimuli, such as colored circles or oriented bars (e.g., Luck & Vogel, [1997](#page-11-1); Zhang & Luck, [2008\)](#page-12-1), which helps ensure that they are tapping specifcally into visual working memory, and not visual long-term memory, a passive storage system that has essentially unlimited capacity (Brady et al., [2008\)](#page-11-2). Using these simple stimuli, studies have found performance limits that are consistent with relatively "fxed" capacity models, either in terms of how many items people can remember or how much resources are available to store that information (Awh et al., [2007](#page-10-0); Bays et al., [2009](#page-11-3)). Specifcally, seminal studies have suggested that people can remember a fxed number of objects regardless of what these objects are (Awh et al., [2007](#page-10-0); Luck & Vogel, [1997](#page-11-1)), and others have demonstrated that when stimuli are visually very complex, for example 3D cubes or complex polygons, performance is decreased relative to simple single-feature objects, presumably because more resources are needed to hold these stimuli in mind (e.g., Alvarez & Cavanagh, [2004](#page-10-1); Delvenne & Bruyer, [2004](#page-11-4)).

 \boxtimes Yong Hoon Chung yong.hoon.chung.gr@dartmouth.edu

¹ Department of Psychological and Brain Sciences, Dartmouth College, Hanover, NH, USA

² Department of Psychology, University of California San Diego, San Diego, CA, USA

However, more recent studies have found that visual working memory capacity is greater for pictures of realworld objects (e.g., a chair, keys, a plant) that connect to prior knowledge, despite these stimuli being visually complex (e.g., Brady & Störmer, [2022;](#page-11-5) Brady et al., [2016;](#page-11-6) Curby et al., [2009](#page-11-7); Jackson & Raymond, [2008;](#page-11-8) Ngiam et al., [2019](#page-11-9); Torres et al., [2023\)](#page-12-2). Based on these fndings, it has been hypothesized that recognizable and meaningful stimuli can be stored in visual working memory not only with respect to their lower-level visual features, but also in terms of their semantic features (Asp et al., [2021;](#page-10-2) Brady et al., [2016](#page-11-6)), efectively increasing their representational dimensionality and thereby making them particularly robust to interference (Brady et al., [in press](#page-11-10); Wyble et al., [2016\)](#page-12-3). In line with this interpretation, and of particular interest to the present study, studies using recognizable and meaningful stimuli have consistently used relatively long encoding times (1 s or more), reasoning that this longer encoding enables recognizing the objects and allowing for deeper semantic processing of the stimuli – a prerequisite for the meaningfulness beneft to arise (i.e., if you cannot recognize a stimulus as meaningful and connect it to prior knowledge, it may not be remembered better than a non-meaningful stimulus; Brady et al., [2016](#page-11-6); Brady & Störmer, [2022\)](#page-11-5).

Encoding format modulates memory performance

Multiple previous studies have shown that *how* stimuli are encoded into working memory can modulate visual working memory performance. Whereas some earlier work suggested that encoding time – how long stimuli are presented in the memory display initially – does not affect capacity estimates for simple and abstract stimuli (Alvarez & Cavanagh, [2004](#page-10-1); Brady et al., [2016](#page-11-6); Luck & Vogel, [1997\)](#page-11-1), recent works indicate that this is not always the case, instead suggesting that longer encoding times can beneft performance for simple and realistic stimuli (Quirk et al., [2020](#page-11-11); Schurgin et al., [2020](#page-11-12)). Furthermore, other works have shown that whether stimuli are presented simultaneously or sequentially matters for working memory performance. For instance, Emrich & Ferber ([2012\)](#page-11-13) showed that when simple stimuli (colored squares) are presented simultaneously at encoding, location proximity between these stimuli increases competition between them and can result in mistakenly reporting a feature from non-target items instead of from the target (i.e., increasing location-feature binding errors). Other studies have shown that sequential, relative to simultaneous, presentation at encoding can impair feature binding for nonspatial features (i.e., shape and color; e.g., Allen et al., [2006](#page-10-3); Brown et al., [2017](#page-11-14); Gorgoraptis et al., [2011\)](#page-11-15). Together, these studies show that diferent encoding formats can dynamically infuence visual working memory processes depending on what is being remembered and what is probed at test.

A recent study by Brady & Störmer [\(2022](#page-11-5)) tested the hypothesis that diferent ways of encoding stimuli into working memory critically modulates the real-world object beneft in visual working memory. In that study, participants encoded six stimuli either all presented simultaneously, $¹$ $¹$ $¹$ as</sup> is often done in visual working memory studies, or sequentially (one by one), while matching the presentation time of each stimulus. Sequential presentation was thought to encourage participants to encode each object separately, one at a time, with focused, item-based attention, which would presumably increase the depth of processing for each of these stimuli, whereas simultaneous presentation of all six objects was thought to shift people toward processing all the items at once, leading to less individualized object processing and thus less deep processing of each individual stimulus. The results were consistent with this: Visual working memory performance was always increased for real-world objects relative to colored circles, but this beneft was more pronounced during sequential encoding than simultaneous encoding (Brady & Störmer, [2022\)](#page-11-5). Interestingly, the opposite was true for colored circles: participants performed better in the color memory task when these were presented simultaneously, not sequentially, possibly because ensemble, chunking, and global feature-based attention processes that are engaged most during simultaneous presentations of many items can help support memory in the case where the location of many simple features must be remembered (Brady & Störmer, [2022](#page-11-5); Chunharas & Brady, [2023\)](#page-11-16). Overall, this work indicated that how items are encoded into memory plays a critical role in visual working memory tasks, modulating performance in important ways depending on stimulus type (see also Li et al., [2020;](#page-11-17) Quirk et al., [2020](#page-11-11)).

Real‑world objects support memory for associated low‑level features

In the studies discussed thus far, visual working memory capacity was always compared for drastically diferent stimuli and features: Participants were asked to remember either sets of colored circles, or an array of real-world objects. These difer in a large number of ways, and these studies do not make clear which are critical.

 1 In Brady and Störmer ([2022\)](#page-11-5), encoding time for simultaneous displays was always relatively long (1.2 s). In regards to how varying encoding time can impact visual working memory, a previous study found that longer encoding time can selectively beneft real-world objects' working memory (Brady et al., [2016](#page-11-6)), while there's more mixed evidence for simple features: some reports show no efects of encoding time (Alvarez & Cavanagh, [2004;](#page-10-1) Bays & Husain, [2008;](#page-10-4) Luck & Vogel, [1997;](#page-11-1) Vogel et al., [2006](#page-12-4)) but more recent reports show that encoding time also modulates working memory performance for simple features (Li et al., [2020;](#page-11-11) Quirk et al., 2020; Schurgin et al,. 2020).

One possibility is that the beneft participants have in representing real-world objects compared to simple features arises because recognizing a stimulus as meaningful allows participants to extract more relevant high-level visual and conceptually meaningful features. That is, recognizing the image of a car will allow an observer to store circular shapes as wheels or headlights, and not just as arbitrary geometric shapes, and recognizing a stimulus as a face allows observers to memorize visual features as meaningful units such as eye distance, hair, mouth, nose, etc., and not just shape and orientation blobs (Asp et al., [2021](#page-10-2); for a review, see Brady et al., [in press\)](#page-11-10). Indeed, Asp et al. ([2021](#page-10-2)) found that working memory performance was improved when ambiguous Mooney images were recognized as faces compared to when they were not. Similarly, other previous studies have shown that visuo-spatial working memory for arbitrary patterns is improved when those patterns are semantically more meaningful to the observers (e.g., Brown & Wesley, [2013;](#page-11-18) Riby & Orme, [2013\)](#page-11-19).

Do meaningful stimuli have an efect beyond extracting additional relevant and meaningful features? In a recent study, we investigated whether real-world objects can support memory for simple features that are not themselves meaningful, such as color. We asked participants to remember a set of colors that were either superimposed on intact real-world objects, and thus embedded in a conceptually meaningful context, or to remember the colors of scrambled versions of these objects that were not recognizable or meaningful. We found that performance on the color memory task was better for the colors that were superimposed on realworld objects (Chung et al., [2023a](#page-11-20); see also Loaiza et al., [2023](#page-11-21)). This demonstrates that the efects of meaningfulness can go beyond extracting more relevant features: pre-existing conceptual knowledge can also serve as an efective scafold to encode and maintain simple, non-meaningful features in working memory (see also Allen et al., [2021\)](#page-10-5). Critically, in that study, colors were randomly paired with diferent color-neutral objects (e.g., a ball, a couch, a jacket, etc.), eliminating any efect of long-term memories for the specifc color-object pairs. Thus, the colors needed to be linked to the real-world objects on each trial, and linking them to these objects seemed to provide a more efective means of maintaining them in working memory.

Following the task design of other research using realworld objects in working memory, this study also used relatively long encoding times (1 s for set size 4); however, it is unclear whether long encoding and deeper processing of the stimuli would modulate the color memory beneft for meaningful objects in this particular task. In particular, this design combines two tasks (color and real-world objects) that have previously been found to have opposite results: while memory for colored circles has been found to exhibit better performance when these colors were presented simultaneously relative to sequentially, memory for the identity of objects – a picture of a chair, an apple, or a cat, – was stronger when these items were presented sequentially (Brady & Störmer, [2022](#page-11-5)). Thus, it is not obvious how memory for colors that are presented as part of meaningful objects or as part of non-meaningful shapes would be modulated by encoding format. One possibility is that how participants encode the stimulus depends on what information participants are trying to remember, rather than the stimulus itself: maintaining object identities might rely more strongly on focused, itembased encoding to allow the extraction of additional visual features that are relevant to do the task (i.e., recognizing the tail of a dog will be useful if the task is about remembering the dog itself); memorizing color, however, regardless of whether these colors are presented as parts of meaningful objects or not, might not beneft from this item-based encoding as added time to extract additional features might not necessarily be useful here (i.e., recognizing the tail of a dog is not critical when just remembering its color). In this case, participants may be relying on similar strategies for both sequential and simultaneous presentations when doing a color working memory task (Zhao & Vogel, [2023\)](#page-12-5). Thus, it is an open question whether and how encoding format infuences color memory for meaningful versus non-meaningful objects, and how this might difer for memory for object identity.

The present study: The role of encoding format on color and object identity memory

In the present study we test whether the color-memory beneft for meaningful objects is modulated by encoding format, and compare this to a working memory task focused on object identity. Specifcally, we varied whether participants encoded all stimuli at once (simultaneously) or whether they encoded them one at a time (sequentially). Furthermore, instead of using colorful real-world objects as in our previous study (Chung et al., [2023a\)](#page-11-20), we used silhouettes of objects (e.g., a shirt, a microscope) and scrambled versions of these silhouettes. These stimuli better control for variation in lighting and color values that are necessarily present in images of real-world objects, and thus provide a more controlled stimulus set (while removing some ecological validity). Using this stimulus set also allowed us to test whether recognizing a stimulus as a particular object alone is sufficient to support color memory. That is, is recognizing a relatively abstracted version of an object – the silhouette of a dog – sufficient to scaffold memory for its color? Or are the richer visual details of real object pictures required for this beneft to arise?

We frst replicated our previous results of better color memory for meaningful stimuli relative to non-meaningful

stimuli using these more abstract silhouettes (Exp. 1). Then, we examined how sequential or simultaneous presentations of memory items at encoding infuenced performance when participants were asked to remember colors (Exp. 2) or object identities (Exp. 3) of these stimuli. We found an overall increase in memory performance for colors superimposed on meaningful relative to non-meaningful stimuli as well as better performance for meaningful object identities relative to non-meaningful objects, confrming previous studies that meaningfulness can increase memory strength. Interestingly, we found that sequential presentation benefts only emerged when observers were asked about object identities, but these efects disappeared when colors were the only memory-relevant visual feature. Overall, our results suggest that encoding strategies can fexibly impact visual working memory performance depending on what features are to be remembered, even for identical stimuli.

Experiment 1: Working memory for color in intact versus scrambled silhouettes

Experiment [1](#page-3-0) investigates whether color memory is improved for colors presented on silhouettes that are recognizable as meaningful objects, compared to colors presented on scrambled and unrecognizable shapes. Thus, this experiment tests whether identifying a shape as conceptually meaningful is sufficient to support memory for its arbitrarily associated color, thus examining how generalizable our previous results of increased color memory for real-world objects are (Chung et al., [2023a\)](#page-11-20).

Methods

Participants

Seventy-two participants were recruited from the SONA participants' pool at the University of California, San Diego. All participants gave informed consent prior to the experiment as approved by Internal Review Boards at the University of California, San Diego and Dartmouth College. Participants completed the experiment in a Web browser on their own devices. We requested that the experiment be completed in full-screen mode on a computer. In total, 30 participants were included in data analysis. Following our lab protocol and previous investigation (Chung et al., [2023a\)](#page-11-20), data from participants were excluded if the overall d' value across all conditions was lower than 0.5 or if more than 10% of the trials were excluded. Individual trials were excluded if response time was shorter than 200 ms or longer than 5,000 ms. Based on the d' criterion, data from 39 participants were excluded. Based on trial number criterion, data from an additional three participants were excluded. We chose 30

as the sample size following procedures from Chung et al. $(2023a; N = 30)$ $(2023a; N = 30)$ $(2023a; N = 30)$, which performed the identical analysis procedure and other previous works that investigated visual working memory (e.g., Allen et al., [2021](#page-10-5); Asp et al., [2021](#page-10-2); Brady et al., 2016). The final sample (N = 30) was between 18 and 34 years of age.

While a large number of excluded participants is not uncommon in online data collection (e.g., Addleman & Störmer, [2022](#page-10-6); Chung et al., [2023a\)](#page-11-20), to ensure that the observed efects were not dependent on our exclusion criteria we replicated all analysis using a more lenient d' criterion (see Online Supplementary Material (OSM)). Results did not difer from the results reported in the main paper.

Stimuli

Stimuli were selected from 310 silhouette images of realworld objects (e.g., a t-shirt, a mask, a football, etc.; see Fig. [1B](#page-4-1)) from Sutterer and Awh ([2016](#page-12-6)) and randomly rotated in hue space using a CIE L*a*b color wheel that approximately matches that of previous work (Chung et al., [2023a,](#page-11-20) [b](#page-11-22); Schurgin et al., [2020;](#page-11-12) Suchow et al., [2013\)](#page-12-7). On each trial, stimuli were at least 30° apart from each other on the color wheel. For the non-meaningful shape stimuli, these colored silhouette images were scrambled using the difeomorphic transformation technique (Stojanoski & Cusack, [2014\)](#page-12-8) to be less recognizable while preserving visual properties of the original shapes.

Procedure

On each trial, participants were simultaneously presented with an array of four stimuli for 1,000 ms, evenly distributed around the center of the screen. On half of the trials, participants were presented with four colored, intact silhouettes of objects, and on the remaining half of the trials, participants were presented with four colored, scrambled shapes. These trials were randomly intermixed trial-by-trial. Each memory stimulus was 150 pixels width by 150 pixels height. After a 1,000-ms delay, participants were presented with a two-alternative forced-choice (2-AFC) with two diferent colors, each presented on the exact same shape (e.g., a green and a pink microscope; see Fig. [1](#page-4-1)A); one color matched the encoded color (target) and the other one was maximally distinct, 180° away from the target color on the color wheel (foil). Participants were instructed to report which of the two colors they had previously seen by clicking on it with their mouse. Throughout the task, participants were only asked about the colors they saw, and never about the identity of the shapes. After each response participants received auditory feedback. Each participant completed 270 trials in total. Prior to the experiment, participants were given a 15-s example video of practice trials. The procedure of Experiment [1](#page-3-0) is

Fig. 1 Procedure, stimuli, and results of Experiment [1](#page-3-0). (**A**) On each trial, four colored stimuli were presented for 1,000 ms. In the meaningful condition, these four colored stimuli were recognizable silhouettes, whereas these stimuli were scrambled and unrecognizable in the non-meaningful condition. After a 1,000-ms delay period, participants were given two color options: one that matched the previously seen color (target), and one that was maximally diferent from the target on the color wheel (foil). (**B**) The stimuli were 310 silhouettes of objects sampled from Sutterer & Awh ([2016\)](#page-12-6), each colored ran-

illustrated in Fig. [1A](#page-4-1). The typical duration of the experiment was around 30 min per participant.

Data analysis

To assess memory performance, d' values for a 2-AFC task were calculated separately for the two conditions for each participant (intact silhouettes vs. scrambled silhouettes) as a measure of working memory strength ($\left[\frac{\text{zH}}{\text{zH}}\right]$ - $\frac{\text{zFA}}{\sqrt{2}}$). These d' values were then analyzed using a within-subject paired t-test.

Results

We found that participants were significantly better at remembering colors when these colors were presented as part of intact silhouettes ($d' = 0.82$) compared to scrambled silhouettes (d' = 0.68; t(29) = 2.45, p = 0.02; Cohen's d_7 = 0.53; see Fig. [1](#page-4-1)C). This replicates our previous work using a much more controlled stimulus set.

domly (top row). For the non-meaningful condition, they were scrambled using a difeomorphic scrambling method (Stojanoski & Cusack, [2014](#page-12-8)) to render them unrecognizable (bottom row). (**C**) Results from Experiment [1](#page-3-0) (left/blue shows intact silhouettes, and right/red shows scrambled silhouettes) show that color working memory performance was improved for meaningful intact silhouettes compared to nonmeaningful scrambled silhouettes, consistent with previous fndings (Chung et al., [2023a](#page-11-20))

Experiment 2: Working memory for color during simultaneous versus sequential presentation

Experiment [1](#page-3-0) demonstrates that remembering a set of random colors results in better performance when these colors are superimposed on recognizable silhouettes relative to scrambled shapes. This provides strong support for our recent hypothesis that conceptually meaningful stimuli can serve as an efective scafold to support the maintenance of simple visual features (Allen et al., [2021](#page-10-5); Chung et al., [2023a](#page-11-20)). In Experiment [2](#page-4-0), we asked whether this meaningfulness color beneft is modulated by encoding format. Specifcally, Brady & Störmer ([2022](#page-11-5)) showed that sequential encoding boosted the real-world object beneft in visual working memory, whereas simultaneous encoding beneftted color memory for simple colored circles. This dissociation suggests that encoding format can have differential effects on working memory performance depending on exactly which stimuli are used and what features participants are asked to remember (e.g., real-world objects

Fig. 2 Encoding conditions and results of Experiment [2](#page-4-0). (**A)** Depending on the experimental block, stimuli were either presented simultaneously (left) or sequentially (right). Stimuli could either be intact or scrambled silhouettes. All other procedures were identical to Experiment [1](#page-3-0). (**B**) Results of Experiment [2](#page-4-0) show that color working mem-

ory performance was improved for meaningful intact silhouettes compared to non-meaningful scrambled silhouettes (blue vs. red bars), consistent with Experiment [1.](#page-3-0) There was no signifcant diference in performance between the two encoding formats (left, darker colors: simultaneous; right, lighter colors: sequential)

vs. colored circles). Here we aimed at honing in on the question of how encoding format would impact memory performance for colors versus object identities by using the exact same stimulus set and only changing *what* participants were asked to remember: the object's color (Exp. [2](#page-4-0)) or the entire object (Exp. [3](#page-6-0)).

Methods

Participants

One hundred and forty-four participants were recruited from the SONA participants pool at the University of California, San Diego. Data from 18 participants were excluded due to more than 10% of their trials being excluded. Data from an additional 66 participants were excluded due to their overall d' being lower than 0.5. The size of the fnal sample $(N = 60)$ was determined based on the previous study by Brady & Störmer [\(2022](#page-11-5); $N = 50$) that investigated a similar interaction between two diferent encoding formats and stimulus types (Brady & Störmer, [2022\)](#page-11-5). The fnal sample of participants was between 18 and 34 years of age.

Given the high exclusion rate of participants, we replicated the same analysis and results using more lenient d' exclusion criteria (see OSM).

Stimuli

Stimuli were identical to Experiment [1](#page-3-0).

Procedure

Procedures were similar to Experiment [1](#page-3-0) except for the following: Across experimental blocks, the encoding display was varied so that stimuli were either presented simultaneously at locations evenly distributed around the center of the screen for 1,200 ms (as in Exp. [1](#page-3-0)), or they were presented sequentially at the central location of the screen for 300 ms each followed by a 200-ms inter-stimulus interval. Encoding format (simultaneous vs. sequential) was blocked, but stimulus type (recognizable vs. unrecognizable) was varied randomly on a trial-by-trial basis, just like in Experiment [1.](#page-3-0) There were four blocks (two simultaneous blocks and two sequential blocks) of 67 trials each, totaling 268 trials per participant. Starting block order was randomized for each participant with alternating block orders afterwards. All other procedures were identical to Experiment [1](#page-3-0). Diferent encoding displays are illustrated in Fig. [2](#page-5-0)A.

Data analysis

To assess memory performance, d' values were calculated as a measure of memory strength for each of the four conditions (sequential intact silhouettes, simultaneous intact silhouettes, sequential scrambled silhouettes, and simultaneous scrambled silhouettes). Memory strength across conditions was compared using a 2×2 repeated-measures ANOVA with stimulus type (intact vs. scrambled) and encoding display (simultaneous vs. sequential) as factors.

Results

 A 2 \times 2 repeated-measures ANOVA yielded a significant main effect of stimulus type $(F(1, 59) = 42.26, p < 0.001, \eta_p^2)$ $= 0.42$), but no significant effect of encoding format (F(1, 59) = 0.04, p = 0.84), and no interaction (F(1, 59) = 0.30, $p = 0.59$; Fig. [2B](#page-5-0)). These results indicate that the colors of intact, recognizable silhouettes were better remembered than colors of scrambled, unrecognizable shapes, regardless of encoding format.

Experiment 3: Working memory for object identity during simultaneous versus sequential presentation

Experiment [2](#page-4-0) replicated the pattern of Experiment [1](#page-3-0), showing better color memory performance for meaningful relative to non-meaningful stimuli; however, we did not observe any effects of encoding format. Thus, where previous work showed a simultaneous beneft for colors alone and a sequential beneft for object identity (Brady & Störmer, [2022](#page-11-5)), the combination of the two showed no diference in either direction. It seems conceivable that item-based encoding (here promoted by sequential presentation at encoding) does not benefit memory for surface-level features, such as an object's color. Another possibility is that other diferences between the studies and tasks, such as the stimuli used, variation in set size (4 vs. 6), or other small diferences between tasks, could explain the diferential efects. To directly test this, in Experiment [3](#page-6-0), we used the exact same stimuli and setup as in Experiment [2,](#page-4-0) but asked participants to remember the identities of the objects, not their colors, and examined whether encoding format would modulate the meaningful object beneft here.

Methods

Participants

Sixty-nine participants were recruited from the SONA participants pool at the University of California, San Diego. Data from fve participants were excluded due to more than 10% of their trials being excluded. Data from an additional four participants were excluded due to their overall d' being lower than 0.5. The final sample $(N = 60)$ was between 18 and 23 years of age.

Stimuli

Stimuli were identical to Experiment [1](#page-3-0) except all stimuli were grayscale. Stimuli were changed from colorful to gray in Experiment [3](#page-6-0) to ensure that participants could not use distinct colors to encode or remember the stimuli, especially for scrambled shapes. Thus, this task design eliminated the possibility to use color to perform the memory task but was solely about identity memory.

Procedure

Procedures were similar to Experiment [2](#page-4-0) except for the following: at the 2-AFC test participants were given two shape choices (the target shape and a foil shape) and asked to choose the target *shape*, thus making this an identity working memory task. Following the previous fndings of Brady & Störmer (2020) (2020) , we chose the foil shapes to be maximally diferent from the target for both conditions, determined by features extracted from convolutional neural networks (see OSM: Stimulus Validation). There were 50 trials for each of four blocks, totaling 200 trials per participant. There were fewer trials in Experiment [3](#page-6-0) than Experiment [2](#page-4-0) due to the foil objects being excluded from being memory stimuli. The procedure for Experiment [3](#page-6-0) is illustrated in Fig. [3A](#page-7-0).

Data analysis

Data analysis was identical to Experiment [2.](#page-4-0)

Results

Participants had higher memory performance for intact meaningful silhouettes relative to scrambled shapes; they also showed an increase in performance when items were presented sequentially relative to simultaneously at encoding. These observations were statistically confrmed with a 2 × 2 repeated-measures ANOVA, which yielded a signifcant main effect of stimulus type $(F(1, 59) = 423.09, p < 0.001,$ $\eta_p^2 = 0.88$), a significant main effect of encoding display $(F(1, 59) = 62.97, p < 0.001, \eta_p^2 = 0.52)$, and no significant interaction between the two factors $(F(1, 59) = 1.71, p =$ 0.20; Fig. [3](#page-7-0)B). Thus, asking about identity rather than color did lead to a sequential encoding beneft, and did so for both intact and scrambled silhouettes.

General discussion

Visual working memory capacity for simple features can be increased if these features are encoded and maintained as part of real-world objects (Chung et al., [2023a\)](#page-11-20). Here, we demonstrate that this meaningfulness advantage in color memory extends to silhouettes of objects, indicating that a relatively abstracted version of an object (a shape outline) is sufficient to drive these effects. Thus, our previous results generalize to other kinds of stimuli that can be considered "meaningful" in a relatively broad sense – namely, it appears

Fig. 3 Stimulus displays and results of Experiment [3](#page-6-0). (**A)** Stimuli were greyscale and could be presented simultaneously or sequentially at encoding. During the two-alternative forced-choice (2-AFC) test, two diferent objects were presented, and participants were asked to choose the object they remember. All other procedures were identical to Experiment [2](#page-4-0). (**B**) Results showed that performance was higher for

meaningful intact silhouettes compared to non-meaningful scrambled silhouettes (blue vs. red bars). At the same time, sequential presentation (left, lighter colors) also resulted in overall better performance than simultaneous presentation (right, darker colors). No reliable interaction was observed

sufficient that the to-be-remembered colors appear on recognizable shapes that connect to prior conceptual knowledge. Furthermore, the stimulus set used in the current study, while losing some ecological validity, controls much better for color and lighting variations compared to the real-world objects used in the previous set of experiments (Chung et al., [2023a](#page-11-20)). This indicates that our previous results are robust and generalize across stimulus sets.

The way this advantage in memory for colors on real objects interacts with known encoding diferences between real-world objects and colors (Brady & Störmer, [2022](#page-11-5)) was also unclear, with the color versus real-world object aspects of the task appearing to suggest opposite possibilities. In Experiment [2](#page-4-0), we found that when colors were the only task-relevant feature, there was solely an efect of meaningfulness but no diference in performance between simultaneous and sequential encoding formats. However, when shapes and thus the identities of objects were task-relevant (Exp. [3\)](#page-6-0), sequential presentation resulted in better memory performance compared to simultaneous presentation for both meaningful and non-meaningful object shapes, with overall better memory for meaningful silhouettes. Thus, encoding format had differential effects depending on what participants were instructed to remember – suggesting that encoding strategies can impact memory performance fuidly depending on task relevance and task demands.

Semantic meaning can beneft color working memory

The current study adds to increasing evidence suggesting that visual working memory capacity is not "fxed," but flexibly varies depending on what information is being maintained actively in mind. Our results show that even working memory for simple, low-level features such as the color of items is afected by prior knowledge stored in people's minds. Critically, this prior knowledge does not refer to item-specifc knowledge, such as long-term associations between a particular color and an object (e.g., a yellow banana), which has been shown to improve memory in other works (Sobrinho & Souza, [2023](#page-12-9)). Instead, here it is about the fact that the conceptual knowledge that gets activated by seeing a recognizable, meaningful object can structure working memory representations "on the fy," by quickly building and maintaining new associations with a low-level feature, such as color. How can such connections to pre-existing knowledge aid working memory for their colors? One potential explanation is that higher-level representations (such as meaningful objects) can serve as an efficient memory scaffold for associated low-level features (such as their colors). This is consistent with a model of working memory in which representations are structured hierarchically, as proposed in Brady et al. [\(2011](#page-11-24)). According to this hierarchical model of working memory, memoranda are represented as feature bundles across multiple levels along the visual hierarchy (i.e., lower-level features such as colors to higher-level representations such as recognizable object identities). In such a model, having a more robust higher-level representation (i.e., meaningful objects) can provide an efective scafold for encoding, maintaining, and retrieving associated lowerlevel feature information, possibly leading to less interference between simple low-level features and ultimately boosting the performance for feature working memory tasks. The present fndings replicate our previous study (Chung et al.,

[2023a](#page-11-20)) using a simpler and more controlled stimulus set. While the object images used in our previous work (Chung et al., [2023a;](#page-11-20) adapted from Brady et al., [2013\)](#page-11-25) are ecologically more valid as they are images of real-world objects, they are also particularly visually complex, introducing a lot of variances in lighting and thus color values across the objects (diferent shades result in non-uniform color distributions such that one object may have diferent shades of blue, for example). This could have potentially introduced additional variance in the surface-level features, especially for the non-meaningful stimuli (scrambled or upside-down objects), as lighting cues could not be used by the visual system to discount shades and thus color variation in these cases (Chung et al., [2023a\)](#page-11-20). In the current study we avoid these issues by using silhouettes of objects (from Sutterer & Awh, [2016\)](#page-12-6) that allow for one uniform color to be used in each stimulus, distributed equally across the whole shape with no variation in lighting. Given that we found the same meaningfulness beneft using these silhouettes, we conclude that variations of color across the real-world object images (and their scrambled counterparts) in the previous study do not explain diferences in performance. Instead, how meaningful an object is to an observer aids color working memory. The silhouettes used in the present study also offer a window into understanding what kind of "meaningfulness" is critical – or sufficient – in driving memory benefits for color. Specifcally, the silhouettes are relatively simplifed and abstracted versions of objects we encounter in the real world, removing a lot of the perceptual complexities and idiosyncratic features found in natural images, while still retaining their conceptual meaning through their global shapes. Thus, the present results demonstrate that recognizing what an object is – regardless of whether it is an image of a real-world object or just the abstracted shape of it in the form of a silhouette $-$ is sufficient in scaffolding memory for its color.

Sequential presentation at encoding benefts complex shape working memory

Across Experiments [2](#page-4-0) and [3](#page-6-0), we found that sequential presentation selectively boosted working memory performance when remembering shape identities, but not when remembering their colors, even though both experiments used identical stimulus sets. One explanation for the beneft of sequential presentation for the objects is that serial processing can promote the extraction of additional features for complex stimuli that can be particularly useful in the object identity working memory task. A previous investigation by Brady & Störmer ([2022](#page-11-5)) found that the sequential presentation resulted in better memory performance for real-world objects. These results were interpreted such that sequential presentation at encoding reinforces participants to focus on each item at once, encouraging deeper processing of each individualized object and its detailed features. This type of focused object-based processing would help especially when the goal of the task is to discriminate the target object in the subsequent 2-AFC task. By contrast, the simultaneous (but still long) presentation of all stimuli at once could lead to a mixture of object-based and also global, parallel processing of the display, which may be less advantageous when remembering object identities. Thus, serial processing may allow for more features to be extracted, whether they are high-level visual and semantically meaningful features (i.e., recognizing a cat's ears) or lower-level complex but semantically non-meaningful shape features (i.e., specifc contours of a scrambled shape), improving the observers' ability to remember and distinguish the stimulus identities at test. These additional features that can be best encoded during sequential presentation, however, may not be as useful when observers are only asked to remember and report a simple surface feature – such as the colors of the stimuli.

One important aspect to note is that in the current study the inter-stimulus intervals (ISIs) of the sequential presentation (200 ms each) were not included in the simultaneous condition, making the overall encoding time longer in the sequential condition. These additional times for ISIs could potentially allow further consolidation for the sequential condition (e.g., Bayliss et al., [2015](#page-10-7); for review, see Ricker et al., [2018](#page-11-26)). However, Experiment [2](#page-4-0) of Brady & Störmer [\(2022](#page-11-5)) showed that whether or not the additional times from the ISIs in the sequential encoding condition were included in the simultaneous encoding condition did not change the pattern of data observed. Thus, it is unlikely that the overall encoding time between the two conditions alone can explain the current pattern of results.

Interestingly, we found that sequential presentation improved working memory performance not only for meaningful stimuli but also for non-meaningful scrambled shapes, diverging in some ways from Brady & Störmer ([2022\)](#page-11-5), who reported no sequential encoding beneft for fully scrambled real-world objects, though they did fnd a sequential beneft for lightly scrambled real-world objects. There are two possible explanations for this. First, unlike Brady & Störmer ([2022\)](#page-11-5), who used real-world objects and scrambled objects that retained surface-level features such as their colors, we here used stimuli that were all grayscale in the object-identity task (Exp. [3](#page-6-0)), which prevented observers from utilizing colors to perform the task, especially when the stimuli were unrecognizable and thus harder to remember. Instead, in Experiment [3](#page-6-0), participants had to rely on remembering the complex shape information to perform the object identity task. Thus, the sequential presentation that allows for extraction of additional complex features could have been especially helpful in our design for both conditions, and removing colors may have especially reduced potential benefts of

simultaneous encoding. This would open up the possibility that the sequential presentation beneft may not be selective to meaningful stimuli per se, but could exist for any working memory task where task-relevant features are complex and can beneft from deeper perceptual or conceptual processing at encoding. Some features, such as color and other surfacelevel features that can be extracted quickly and in parallel, on the other hand, might not (always) beneft from the sequential encoding. A second possibility is that the scrambled silhouettes may not be as meaningless as the scrambled real-world object images used in the previous study. It's possible that in our task observers inferred some meaning from the scrambled silhouette shapes, maybe especially when processed serially. This is consistent with Experiment [3](#page-6-0) of Brady & Störmer ([2022\)](#page-11-5), in which it was found that sequential presentation benefts for lightly scrambled real-world objects were similar to those for intact objects, suggesting that participants possibly recognized some of the scrambled objects, or parts of them, or at least thought to have recognized them (even if they were incorrect). Together, this pattern of data suggests that sequential presentation benefts may appear in a graded form, scaling with how meaningful the stimuli can be interpreted by the observer.

No sequential presentation beneft in color working memory

We observed that the two encoding formats did not diferentially afect working memory performance when participants were asked only about the color of the stimuli (Exp. 2). Yet, we found a clear and reliable efect of meaningfulness such that intact silhouettes enhanced color memory relative to the scrambled silhouettes. This result is consistent with our previous study that used real-world objects, in which we found a beneft for color memory when objects were presented both sequentially (Exp. 1) and simultaneously (Exp. 2a; Chung et al., [2023a](#page-11-20)). However, this previous study lacked a systematic within-subject comparison between the two encoding formats, making it difficult to interpret how the two encoding formats may impact memory performance.

Why does sequential encoding not help color memory, even when color memory itself is supported by recognizing a stimulus as meaningful? There could be several reasons for this. First, as mentioned above, the additional features that can be extracted more easily in the sequential presentation may not be useful in the color working memory task. That is, recognizing the general shape and its associated color – both things that can presumably be done easily enough in the long simultaneous presentation condition (at least for set size 4 and the silhouettes used here) $-$ is sufficient to perform the subsequent color 2-AFC task. Knowing additional detailed features of the objects is – at least in our version of the task where the shapes are always relatively distinct from one another – not particularly useful or necessary for the color memory test. Furthermore, processing colors one by one in a focused item-based way is not necessarily useful for color memory more generally. In fact, previous work suggests the opposite, namely that the simultaneous presentation of colored circles can facilitate the use of ensemble information and global feature-based attention processes, thereby improving color working memory performance (Brady & Störmer, [2022;](#page-11-5) Chunharas & Brady, [2023](#page-11-16)). Thus, it could also be the case that simultaneous presentation of the stimuli in our task enhanced color memory due to global feature-based processes, while at the same time sequential encoding supported memory due to more focused encoding of each individual item and thus stronger memory hooks to the shapes – which ultimately led to equivalent performance across the two encoding conditions.

One notable additional diference between the two encoding formats is that stimuli were presented at distinct spatial locations for the simultaneous presentation whereas they were all presented at the center for the sequential presentation. As spatial information is known to play a privileged role in indexing visual working memory contents and binding visual features (Chen & Wyble, [2015a;](#page-11-27) Chen & Wyble, [2015b](#page-11-28); Chung et al., [2023b;](#page-11-22) Emrich & Ferber, [2012;](#page-11-13) Mandler et al., [1977](#page-11-29); Schneegans & Bays, [2019](#page-11-30); Schulman, [1973](#page-11-31); Tam & Wyble, [2022\)](#page-12-10), the usage of spatial information could have been especially helpful when observers were asked to remember simple features, even though they were never provided with explicit spatial cues at retrieval. However, to what extent spatial information would play a role in the current design is unclear as our previous study showed robust meaningfulness benefts in color working memory even when clear spatial cues were given (Chung et al., [2023a,](#page-11-20) Exps. 2b and 5). Additionally, Brady & Störmer ([2022](#page-11-5)) used sequential presentations both where stimuli were presented centrally and where they were presented at diferent locations, and found no signifcant diferences in the pattern of data in these two situations. In addition, Chung et al. [\(2023b](#page-11-22)) showed that when not asked explicitly, incidental memory representations of spatial locations do not difer between meaningful and non-meaningful stimuli. In the present tasks, participants were never required to remember spatial locations explicitly as they were never asked about item locations during the memory test. Thus, it is unlikely that the diference in spatial location information alone can explain the present results.

Meaningfulness beneft in visual working memory

Across all experiments, we replicate the meaningfulness beneft for both color and identity working memory tasks across both sequential and simultaneous presentations. This demonstrates that the role of meaningfulness in visual

working memory is pervasive and robust across diferent stimulus sets and encoding formats. Importantly, our results are consistent with the idea that when items are presented sequentially at encoding, more features can be extracted from complex stimuli, and this can be beneficial for an object identity working memory task, but perhaps not for a color working memory task. This may suggest that how much semantic and conceptual information can improve color working memory is limited compared to how useful this is when remembering object identity. This is also supported by the overall performance diference between the meaningful and non-meaningful conditions, which is much more nuanced in the color working memory task (η_p^2) 0.42) compared to the identity working memory task (η_p^2) $= 0.88$).

The effect of meaningfulness in visual working memory also aligns with other recent research showing that meaningful object shapes are more likely to be represented incidentally in working memory relative to non-meaningful shapes, even if they are not task-relevant (Chung et al., [2023b](#page-11-22); Sasin et al., [2023](#page-11-32)). However, exactly how these meaningful features, and at what level of detail or abstraction, are represented in working memory, is still unknown. It seems likely that this is strongly task-dependent, though there might be a "default" state that could be uncovered using these incidental memory tasks. Some initial data suggest that real-world objects are incidentally represented at the level of exemplars: For instance, Sasin et al. ([2023\)](#page-11-32) showed that incidental memory of meaningful objects was sensitive to exemplars (i.e., people knew which cookie they saw); however, information of the object states seemed lost (i.e., a cookie that has a bite on it vs. not). Similarly, Brady et al. ([2016\)](#page-11-6) showed a beneft for real-world objects in an explicit working memory task both when the task required an across-category discrimination (e.g., a shoe vs. an apple), but also when the memory test required discriminating between exemplars (i.e., object with detail, a mug from a diferent mug). Future studies could further address this question by systematically varying the levels of semantic distinctiveness in the stimulus set and mapping the impact on visual working memory performance for diferent task-relevant features. For instance, to what extent distinct objects from the same category (i.e., four diferent cars) relative to objects from diferent categories (as in the present study) affect color working memory, and how the efect size compares to identity working memory, is for future examination.

Conclusion

In conclusion, we found that sequential presentation at encoding selectively boosted working memory for complex shape identities, but there was no performance diference between sequential and simultaneous presentations when colors were the task-relevant feature, despite using the same exact stimulus set. We replicated the memory advantage for meaningful stimuli both when participants were asked about the object identity and when asked just about their color. Our results demonstrate that encoding format can play an important role in driving working memory performance, and critically, that diferent encoding formats have diferent consequences depending on what the task goals are for the participant: remembering simple surface features like color versus remembering object identities. Moving forward, it is thus important to consider how participants are using diferent encoding strategies, or control for them when comparing memory performance across diferent tasks.

Supplementary Information The online version contains supplementary material available at<https://doi.org/10.3758/s13421-023-01486-4>.

Data availability All data reported in the paper are publicly available via the Open Science Framework at: <https://osf.io/juvks/>.

References

- Addleman, D. A., & Störmer, V. S. (2022). No evidence for proactive suppression of explicitly cued distractor features. *Psychonomic Bulletin and Review, 29*(4), 1338–1346. [https://doi.org/10.3758/](https://doi.org/10.3758/s13423-022-02071-7) [s13423-022-02071-7](https://doi.org/10.3758/s13423-022-02071-7)
- Allen, R. J., Baddeley, A. D., & Hitch, G. J. (2006). Is the binding of visual features in working memory resource-demanding? *Journal of Experimental Psychology: General, 135*(2), 298–313. [https://](https://doi.org/10.1037/0096-3445.135.2.298) doi.org/10.1037/0096-3445.135.2.298
- Allen, M. G., DeStefano, I. C., & Brady, T. F. (2021). Chunks are not "Content-Free": hierarchical representations preserve perceptual detail within chunks. In: *Proceedings of the 43rd Annual Meeting of the Cognitive Science Society, 43,* 721–727.
- Alvarez, G. A., & Cavanagh, P. (2004). The capacity of visual shortterm memory is set both by visual information load and by number of objects. *Psychological Science, 15*(2), 106–111. [https://doi.](https://doi.org/10.1111/j.0963-7214.2004.01502006.x) [org/10.1111/j.0963-7214.2004.01502006.x](https://doi.org/10.1111/j.0963-7214.2004.01502006.x)
- Alvarez, G. A., & Cavanagh, P. (2008). Visual short-term memory operates more efficiently on boundary features than on surface features. *Perception & Psychophysics, 70*(2), 346–364.
- Asp, I. E., Störmer, V. S., & Brady, T. F. (2021). Greater visual working memory capacity for visually matched stimuli when they are perceived as meaningful. *Journal of Cognitive Neuroscience, 33*(5), 902–918. https://doi.org/10.1162/jocn_a_01693
- Awh, E., Barton, B., & Vogel, E. K. (2007). Visual working memory represents a fxed number of items regardless of complexity. *Psychological Science, 18*(7), 622–628. [https://doi.org/10.1111/j.](https://doi.org/10.1111/j.1467-9280.2007.01949.x) [1467-9280.2007.01949.x](https://doi.org/10.1111/j.1467-9280.2007.01949.x)
- Bayliss, D. M., Bogdanovs, J., & Jarrold, C. (2015). Consolidating working memory: Distinguishing the efects of consolidation, rehearsal and attentional refreshing in a working memory span task. *Journal of Memory and Language, 81*, 34–50. [https://doi.](https://doi.org/10.1016/j.jml.2014.12.004) [org/10.1016/j.jml.2014.12.004](https://doi.org/10.1016/j.jml.2014.12.004)
- Bays, P. M., & Husain, M. (2008). Dynamic shifts of limited working memory resources in human vision. *Science, 321*(5890), 851–854. <https://doi.org/10.1126/science.1158023>
- Bays, P. M., Catalao, R. F. G., & Husain, M. (2009). The precision of visual working memory is set by allocation of a shared resource. *Journal of Vision, 9*(10), 1–11.<https://doi.org/10.1167/9.10.7>
- Brady, T., & Störmer, V. (2020). Comparing memory capacity across stimuli requires maximally dissimilar foils: Using deep convolutional neural networks to understand visual working memory capacity for real-world objects. *PsyArxiv*. [https://doi.org/10.](https://doi.org/10.31234/osf.io/25t76) [31234/osf.io/25t76](https://doi.org/10.31234/osf.io/25t76)
- Brady, T., & Störmer, V. (2022). The role of meaning in visual working memory: Real-world objects, but not simple features, beneft from deeper processing. *Journal of Experimental Psychology: Learning Memory and Cognition, 48*(7), 942–958. [https://doi.org/10.](https://doi.org/10.1037/xlm0001014) [1037/xlm0001014](https://doi.org/10.1037/xlm0001014)
- Brady, T. F., Konkle, T., Alvarez, G. A., & Oliva, A. (2008). Visual long-term memory has a massive storage capacity for object details. *Proceedings of the National Academy of Sciences of the United States of America, 105*(38), 14325–14329. [https://doi.org/](https://doi.org/10.1073/pnas.0803390105) [10.1073/pnas.0803390105](https://doi.org/10.1073/pnas.0803390105)
- Brady, T. F., Konkle, T., & Alvarez, G. A. (2011). A review of visual memory capacity: Beyond individual items and towards structured representations. *Journal of Vision, 11*(5), 4. 1-34.
- Brady, T. F., Konkle, T., Gill, J., Oliva, A., & Alvarez, G. A. (2013). Visual long-term memory has the same limit on Fidelity as visual working memory. *Psychological Science, 24*(6), 981–990. [https://](https://doi.org/10.1177/0956797612465439) doi.org/10.1177/0956797612465439
- Brady, T. F., Störmer, V. S., & Alvarez, G. A. (2016). Working memory is not fxed-capacity: More active storage capacity for real-world objects than for simple stimuli. *Proceedings of the National Academy of Sciences of the United States of America, 113*(27), 7459–7464. <https://doi.org/10.1073/pnas.1520027113>
- Brady, T. F., Robinson, M. M., Williams, J. R., & Brady, T. F. (in press). Noisy and hierarchical visual memory across time scales. *Nature Reviews Psychology*
- Brown, L. A., & Wesley, R. W. (2013). Visual working memory is enhanced by mixed strategy use and semantic coding. *Journal of Cognitive Psychology, 25*(3), 328–338. [https://doi.org/10.1080/](https://doi.org/10.1080/20445911.2013.773004) [20445911.2013.773004](https://doi.org/10.1080/20445911.2013.773004)
- Brown, L. A., Niven, E. H., Logie, R. H., Rhodes, S., & Allen, R. J. (2017). Visual feature binding in younger and older adults: encoding and suffix interference effects. *Memory*, 25(2), 261–275. <https://doi.org/10.1080/09658211.2016.1156705>
- Chen, H., & Wyble, B. (2015). The location but not the attributes of visual cues are automatically encoded into working memory. *Vision Research, 107*, 76–85. [https://doi.org/10.1016/j.visres.](https://doi.org/10.1016/j.visres.2014.11.010) [2014.11.010](https://doi.org/10.1016/j.visres.2014.11.010)
- Chen, H., & Wyble, B. (2015). Amnesia for object attributes: Failure to report attended information that had just reached conscious awareness. *Psychological Science, 26*(2), 203–210. [https://doi.org/](https://doi.org/10.1177/0956797614560648) [10.1177/0956797614560648](https://doi.org/10.1177/0956797614560648)
- Chung, Y. H., Brady, T. F., & Störmer, V. S. (2023a). No fxed limit for storing simple visual features : Realistic objects provide an efficient scaffold for holding features in mind. Psychological Sci*ence*.<https://doi.org/10.1177/09567976231171339>
- Chung, Y. H., Tam, J., Wyble, B., & Störmer, V. (2023b). Object meaningfulness increases incidental memory of shape but not location. *PsyArxiv*.<https://doi.org/10.31234/osf.io/th2rm>
- Chunharas, C., & Brady, T. F. (2023). Chunking, attraction, repulsion and ensemble efects are ubiquitous in visual working memory Chunking , attraction , repulsion and ensemble efects are ubiquitous in visual working memory. *PsyArxiv*. [https://doi.org/10.](https://doi.org/10.31234/osf.io/es3b8) [31234/osf.io/es3b8](https://doi.org/10.31234/osf.io/es3b8)
- Curby, K. M., Glazek, K., & Gauthier, I. (2009). A visual short-term memory advantage for objects of expertise. *Journal of Experimental Psychology: Human Perception and Performance, 35*(1), 94–107.<https://doi.org/10.1037/0096-1523.35.1.94>
- Delvenne, J. F., & Bruyer, R. (2004). Does visual short-term memory store bound features? *Visual Cognition, 11*(1), 1–27. [https://doi.](https://doi.org/10.1080/13506280344000167) [org/10.1080/13506280344000167](https://doi.org/10.1080/13506280344000167)
- Emrich, S. M., & Ferber, S. (2012). Competition increases binding errors in visual working memory. *Journal of Vision, 12*(4), 1–16. <https://doi.org/10.1167/12.4.12>
- Fukuda, K., Vogel, E., Mayr, U., & Awh, E. (2010). Quantity, not quality: The relationship between fuid intelligence and working memory capacity. *Psychonomic Bulletin and Review, 17*(5), 673–679.<https://doi.org/10.3758/17.5.673>
- Gorgoraptis, N., Catalao, R. F. G., Bays, P. M., & Husain, M. (2011). Dynamic updating of working memory resources for visual objects. *Journal of Neuroscience, 31*(23), 8502–8511. [https://](https://doi.org/10.1523/JNEUROSCI.0208-11.2011) doi.org/10.1523/JNEUROSCI.0208-11.2011
- Jackson, M. C., & Raymond, J. E. (2008). Familiarity enhances visual working memory for faces. *Journal of Experimental Psychology: Human Perception and Performance, 34*(3), 556–568. [https://doi.](https://doi.org/10.1037/0096-1523.34.3.556) [org/10.1037/0096-1523.34.3.556](https://doi.org/10.1037/0096-1523.34.3.556)
- Li, X., Xiong, Z., Theeuwes, J., & Wang, B. (2020). Visual memory benefts from prolonged encoding time regardless of stimulus type. *Journal of Experimental Psychology: Learning Memory and Cognition, 46*(10), 1998–2005. [https://doi.org/10.1037/xlm00](https://doi.org/10.1037/xlm0000847) [00847](https://doi.org/10.1037/xlm0000847)
- Loaiza, V. M., Cheung, H. W., & Goldenhaus-Manning, D. (2023). What you don't know can't hurt you: Retro-cues beneft working memory regardless of prior knowledge in long-term memory. *PsyArxiv.* <https://doi.org/10.31234/osf.io/9bmgc>
- Luck, S. J., & Vogel, E. K. (1997). The capacity of visual working memory for features and conjunctions. *Nature, 390*(1996), 279–281.
- Mandler, J. M., Seegmiller, D., & Day, J. (1977). On the coding of spatial information. *Memory & Cognition, 5*(1), 10–16. [https://](https://doi.org/10.3758/BF03209185) doi.org/10.3758/BF03209185
- Ngiam, W. X. Q., Khaw, K. L. C., Holcombe, A. O., & Goodbourn, P. T. (2019). Visual working memory for letters varies with familiarity but not complexity. *Journal of Experimental Psychology: Learning Memory and Cognition, 45*(10), 1761–1775. [https://doi.](https://doi.org/10.1037/xlm0000682) [org/10.1037/xlm0000682](https://doi.org/10.1037/xlm0000682)
- Quirk, C., Adam, K. C. S., & Vogel, E. K. (2020). No evidence for an object working memory capacity beneft with extended viewing time. *ENeuro, 7*(5), 1–13. [https://doi.org/10.1523/ENEURO.](https://doi.org/10.1523/ENEURO.0150-20.2020) [0150-20.2020](https://doi.org/10.1523/ENEURO.0150-20.2020)
- Riby, L. M., & Orme, E. (2013). A familiar pattern? Semantic memory contributes to the enhancement of visuo-spatial memories. *Brain and Cognition, 81*(2), 215–222. [https://doi.org/10.1016/j.bandc.](https://doi.org/10.1016/j.bandc.2012.10.011) [2012.10.011](https://doi.org/10.1016/j.bandc.2012.10.011)
- Ricker, T. J., Nieuwenstein, M. R., Bayliss, D. M., & Barrouillet, P. (2018). Working memory consolidation: insights from studies on attention and working memory. *Annals of the New York Academy of Sciences, 1424*, 8–18. <https://doi.org/10.1111/nyas.13633>
- Sasin, E., Markov, Y., & Fougnie, D. (2023). Meaningful objects avoid attribute amnesia due to incidental long-term memories. *Scientifc Reports, 13*, 14464.<https://doi.org/10.1038/s41598-023-41642-z>
- Schneegans, S., & Bays, P. M. (2019). New perspectives on binding in visual working memory. *British Journal of Psychology, 110*(2), 207–244.<https://doi.org/10.1111/bjop.12345>
- Schulman, A. I. (1973). Recognition memory and the recall of spatial location. *Memory & Cognition, 1*(3), 256–260. [https://doi.org/](https://doi.org/10.3758/BF03198106) [10.3758/BF03198106](https://doi.org/10.3758/BF03198106)
- Schurgin, M. W., Wixted, J. T., & Brady, T. F. (2020). Psychophysical scaling reveals a unifed theory of visual memory strength. *Nature Human Behaviour, 4*(11), 1156–1172. [https://doi.org/10.](https://doi.org/10.1038/s41562-020-00938-0) [1038/s41562-020-00938-0](https://doi.org/10.1038/s41562-020-00938-0)
- Simonyan, K., & Zisserman, A. (2015). Very deep convolutional networks for large-scale image recognition. In: *3rd International*

Conference on Learning Representations, ICLR 2015 - Conference Track Proceedings, (pp. 1–14).

- Sobrinho, N. D., & Souza, A. S. (2023). The interplay of long-term memory and working memory: When does object-color prior knowledge affect color visual working memory? *Journal of Experimental Psychology: Human Perception and Performance, 49*(2), 236–262.<https://doi.org/10.1037/xhp0001071>
- Stojanoski, B., & Cusack, R. (2014). Time to wave good-bye to phase scrambling: Creating controlled scrambled images using difeomorphic transformations. *Journal of Vision, 14*(12), 1–16. [https://](https://doi.org/10.1167/14.12.6) doi.org/10.1167/14.12.6
- Suchow, J. W., Brady, T. F., Fougnie, D., & Alvarez, G. A. (2013). Modeling visual working memory with the MemToolbox. *Journal of Vision, 13*(10), 9. 1–8.
- Sutterer, D. W., & Awh, E. (2016). Retrieval practice enhances the accessibility but not the quality of memory. *Psychonomic Bulletin and Review, 23*(3), 831–841. [https://doi.org/10.3758/](https://doi.org/10.3758/s13423-015-0937-x) [s13423-015-0937-x](https://doi.org/10.3758/s13423-015-0937-x)
- Tam, J., & Wyble, B. (2022). Location has a privilege, but it is limited: Evidence from probing task-irrelevant location. *Journal of Experimental Psychology: Learning Memory and Cognition, 49*(7), 1051–1067. <https://doi.org/10.1037/xlm0001147>
- Torres, R. E., Duprey, M. S., Campbell, K. L., & Emrich, S. M. (2023). Not all objects are created equal: the object beneft in visual working memory is supported by greater recollection, but only for some objects. *PsyArxiv*.<https://doi.org/10.31234/osf.io/v2ta5>
- Unsworth, N., Fukuda, K., Awh, E., & Vogel, E. K. (2014). Working memory and fuid intelligence: Capacity, attention control, and secondary memory retrieval. *Cognitive Psychology, 71*, 1–26. <https://doi.org/10.1016/j.cogpsych.2014.01.003>
- Vogel, E. K., Woodman, G. F., & Luck, S. J. (2006). The time course of consolidation in visual working memory. *Journal of Experimental Psychology: Human Perception and Performance, 32*(6), 1436–1451.<https://doi.org/10.1037/0096-1523.32.6.1436>
- Wyble, B., Swan, G., & Callahan-Flintoft, C. (2016). Measuring visual memory in its native format. *Trends in Cognitive Sciences, 20*(11), 790–791.<https://doi.org/10.1016/j.tics.2016.08.012>
- Zhang, W., & Luck, S. J. (2008). Discrete fxed-resolution representations in visual working memory. *Nature, 453*(7192), 233–235. <https://doi.org/10.1038/nature06860>
- Zhao, C., & Vogel, E. K. (2023). Sequential encoding paradigm reliably captures the individual diferences from a simultaneous visual working memory task. *Attention, Perception, and Psychophysics, 85*(2), 366–376.<https://doi.org/10.3758/s13414-022-02647-4>

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional afliations.

Open practices statement The hypotheses, methods, analysis plans, and data exclusion criteria of Experiment 3 were pre-registered (<https://aspredicted.org/7mh2w.pdf>).

Springer Nature or its licensor (e.g. a society or other partner) holds exclusive rights to this article under a publishing agreement with the author(s) or other rightsholder(s); author self-archiving of the accepted manuscript version of this article is solely governed by the terms of such publishing agreement and applicable law.